Subject Index

A

Absorption of NH_4^+ intestinal 237–243
Acetate 43–47
Acetazolamide 49–52
Acetylcholine 19–27
– receptors 29–36
– releasing drug: 4-aminopyridine 181–185
ACh-supersensitivity 89–93
Acidosis 95–100
Acid phosphatase 203–208
Action potential duration 137–142
Activation heat 173–180
– of contraction 117–119
Active state 251–258
Acute renal failure 11–18
Adipose tissue 187–190
Adrenalectomy 49–52, 187–190
Adrenaline 301–302
Adrenergic receptor blockade 223–228
Adrenomimetic substances 29–36
Alkali metal ions 157–163
Alpha adrenergic mechanism 223–228
Ambient temperatures 165–172
Amiloride 49–52
Amino acid 149–155
4-Aminopyridine 181–185
Ammonia and glucose productions 95–100
Ammoniagenesis 95–100
3',5'-AMP 197–201
Anaesthetics, local 137–142
Anion dependence of the contraction 121–123
Antipyretics 165–172
Aortic nerves 81–88
Apical membrane potential 71–80
Arterial chemoreceptor 53–57
Artificial phasic inflation 53–57
Atrophy 89–93
Atropine 29–36, 125–135
Autoregulation 81–88
Avian thermoregulation 291–293

B

Beta adrenergic mechanism 223–228
Bicarbonate-free perfusates 49–52
– transport 43–47
Bird osmoregulation 229–236, 237–243
Blood flow 295–296
– pressure 81–88
– volume 81–88
Brainstem, lower, thermosensitivity 291–293
Breathing frequency 53–57
Brush border hydrolases 297–299
Butyrate 43–47

C

Ca^{2+}, internal stores 259–268
Ca ionophore 37–41
Calcium binding by the red blood cell membrane 191–195
Cardiac muscle energetics 173–180
– – fragments 121–123
– output calculator 59–69
– Purkinje fibres 137–142
Cardioinhibitory fibers 281–285
Carotid occlusion 81–88
Catheter-tip densitometer 59–69
Central chemosensitivity 29–36
– nervous system, respiratory chemosensitivity 29–36
– – –, transmitters 149–155
– venous pressure 81–88
Cerebellum 149–155
C-fiber terminals 143–147
Changes in diffraction patterns, muscle fibres 101–104
Cholinergic blocking agents 125–135
– synaptic transmission 125–135
Cholinesterase inhibitor, eserine 125–135
Cholinomimetic drugs 29–36
Circulation 19–27, 29–36
Cloacal resorption 229–236
Closed circuit television system (CCTV) 101–104
Colon 229–236
– and coprodeum transport 237–243
–, organic acid absorption 43–47
Common carotid occlusion 81–88
Compound spike potentials 281–285
Contractile and histochemical properties 209–214
Contraction 121–123
Coprodeum 229–236
– and colon transport 237–243
Coronary adaptation to ischaemia 223–228
– conductance 223–228
Corticosteroid hormones 187–190
Cutaneous afferent C- and A-fibers 143–147
Cyclic AMP 259–268

D

Deep body thermosensitivity 291–293
Delayed potassium conductance 157–163
Denervation 89–93
Deoxycholate 297–299
Development of ammonia and glucose productions 95–100
Dietary Na^+ effects 229–236
Dispersions of sarcomeres 101–104
DOCA-saline treated uninephrectomised rats 245–250
D-Tyrosine 245–250
Dye dilution 59–69

E

Electrical parameters of isolated frog skin 71–80
Electrogenesis of pumps 215–218
Electrolyte transport, renal 11–18
Energetics of rat papillary muscle 173–180
Energy metabolism 203–208
– -supplying enzymes 203–208
Enzyme activity, glycogen metabolizing 301–302
– release, brush border 297–299
Erythrocyte membrane 191–195
Essential hypertension 191–195
Excitability testing 143–147
Excitation contraction coupling 117–119
Exercise 105–108
Expiratory duration (T_E) 53–57

F

Fast twitch fibre subgroups 105–108
– – muscle 301–302
Fatty acids, short chain, colonic absorption 43–47
Fiberoptic reflection densitometer 59–69
Fibre types 105–108
Fibrillating canine heart 223–228
Filter photometry 59–69
Filtration rate 11–18
Flux of 3-0-methyl-D-glucose 1–9
Foetal rat kidney 95–100
Force-velocity relation 251–258
Frequency characteristics 303–305
Frog skin 71–80

G

GABA 149–155
Gastrointestinal tract, organic acid absorption 43–47
– –, sugar transport 1–9
Gestation 95–100
GFR, regulation 269–279
Glomerular filtration rate 11–18
Gluconeogenesis 95–100
Glucose-evoked transmural electrical current 1–9
– 6-phosphatase (G6Pase) 95–100
– uptake in adipose tissue 187–190
Glycogen depletion 105–108
– metabolizing enzymes 301–302
– phosphorylase 301–302
– synthase 301–302
Glycolytic enzymes 203–208

H

Heart, cardiac output 59–69
–, frog, voltage clamp 259–268
– muscle, anion dependence of contraction 121–123
–, myocardial force-velocity relations 251–258
–, vagus cardioinhibition 281–285

Subject Index

A

Absorption of NH_4^+ intestinal 237–243
Acetate 43–47
Acetazolamide 49–52
Acetylcholine 19–27
– receptors 29–36
– releasing drug: 4-aminopyridine 181–185
ACh-supersensitivity 89–93
Acidosis 95–100
Acid phosphatase 203–208
Action potential duration 137–142
Activation heat 173–180
– of contraction 117–119
Active state 251–258
Acute renal failure 11–18
Adipose tissue 187–190
Adrenalectomy 49–52, 187–190
Adrenaline 301–302
Adrenergic receptor blockade 223–228
Adrenomimetic substances 29–36
Alkali metal ions 157–163
Alpha adrenergic mechanism 223–228
Ambient temperatures 165–172
Amiloride 49–52
Amino acid 149–155
4-Aminopyridine 181–185
Ammonia and glucose productions 95–100
Ammoniagenesis 95–100
3',5'-AMP 197–201
Anaesthetics, local 137–142
Anion dependence of the contraction 121–123
Antipyretics 165–172
Aortic nerves 81–88
Apical membrane potential 71–80
Arterial chemoreceptor 53–57
Artificial phasic inflation 53–57
Atrophy 89–93
Atropine 29–36, 125–135
Autoregulation 81–88
Avian thermoregulation 291–293

B

Beta adrenergic mechanism 223–228
Bicarbonate-free perfusates 49–52
– transport 43–47
Bird osmoregulation 229–236, 237–243
Blood flow 295–296
– pressure 81–88
– volume 81–88
Brainstem, lower, thermosensitivity 291–293
Breathing frequency 53–57
Brush border hydrolases 297–299
Butyrate 43–47

C

Ca^{2+}, internal stores 259–268
Ca ionophore 37–41
Calcium binding by the red blood cell membrane 191–195
Cardiac muscle energetics 173–180
– – fragments 121–123
– output calculator 59–69
– Purkinje fibres 137–142
Cardioinhibitory fibers 281–285
Carotid occlusion 81–88
Catheter-tip densitometer 59–69
Central chemosensitivity 29–36
– nervous system, respiratory chemosensitivity 29–36
– – –, transmitters 149–155
– venous pressure 81–88
Cerebellum 149–155
C-fiber terminals 143–147
Changes in diffraction patterns, muscle fibres 101–104
Cholinergic blocking agents 125–135
– synaptic transmission 125–135
Cholinesterase inhibitor, eserine 125–135
Cholinomimetic drugs 29–36
Circulation 19–27, 29–36
Cloacal resorption 229–236
Closed circuit television system (CCTV) 101–104
Colon 229–236
– and coprodeum transport 237–243
–, organic acid absorption 43–47
Common carotid occlusion 81–88
Compound spike potentials 281–285
Contractile and histochemical properties 209–214
Contraction 121–123
Coprodeum 229–236
– and colon transport 237–243
Coronary adaptation to ischaemia 223–228
– conductance 223–228
Corticosteroid hormones 187–190
Cutaneous afferent C- and A-fibers 143–147
Cyclic AMP 259–268

D

Deep body thermosensitivity 291–293
Delayed potassium conductance 157–163
Denervation 89–93
Deoxycholate 297–299
Development of ammonia and glucose productions 95–100
Dietary Na^+ effects 229–236
Dispersions of sarcomeres 101–104
DOCA-saline treated uninephrectomised rats 245–250
D-Tyrosine 245–250
Dye dilution 59–69

E

Electrical parameters of isolated frog skin 71–80
Electrogenesis of pumps 215–218
Electrolyte transport, renal 11–18
Energetics of rat papillary muscle 173–180
Energy metabolism 203–208
– -supplying enzymes 203–208
Enzyme activity, glycogen metabolizing 301–302
– release, brush border 297–299
Erythrocyte membrane 191–195
Essential hypertension 191–195
Excitability testing 143–147
Excitation contraction coupling 117–119
Exercise 105–108
Expiratory duration (T_E) 53–57

F

Fast twitch fibre subgroups 105–108
– – muscle 301–302
Fatty acids, short chain, colonic absorption 43–47
Fiberoptic reflection densitometer 59–69
Fibre types 105–108
Fibrillating canine heart 223–228
Filter photometry 59–69
Filtration rate 11–18
Flux of 3-0-methyl-D-glucose 1–9
Foetal rat kidney 95–100
Force-velocity relation 251–258
Frequency characteristics 303–305
Frog skin 71–80

G

GABA 149–155
Gastrointestinal tract, organic acid absorption 43–47
– –, sugar transport 1–9
Gestation 95–100
GFR, regulation 269–279
Glomerular filtration rate 11–18
Gluconeogenesis 95–100
Glucose-evoked transmural electrical current 1–9
– 6-phosphatase (G6Pase) 95–100
– uptake in adipose tissue 187–190
Glycogen depletion 105–108
– metabolizing enzymes 301–302
– phosphorylase 301–302
– synthase 301–302
Glycolytic enzymes 203–208

H

Heart, cardiac output 59–69
–, frog, voltage clamp 259–268
– muscle, anion dependence of contraction 121–123
–, myocardial force-velocity relations 251–258
–, vagus cardioinhibition 281–285

Heat loss 113–116, 165–172
– production 113–116
– -stress relation 173–180
H^+-elicited excitation of neurons 125–135
Hemorrhage 81–88
HEPES 149–155
Hexamethonium 29–36, 125–135
Hexokinase 203–208
High blood pressure 245–250
Hill equation 251–258
Hydrolases release 297–299
Hyperaemia 223–228
Hypertension 245–250
Hypertensive rats 187–190, 191–195
Hyperthermia 219–222
Hyperventilation 19–27
Hypokalaemic rat muscle 215–218
Hypothalamic temperature 113–116
Hypothermia 165–172, 219–222
Hypoxia 53–57

I

Indocyanine green 59–69
Inhibition of prostaglandin synthesis 269–279
Inspiratory duration (T_I) 53–57
Internal Ca^{2+} stores 259–268
Intestinal ion transport 237–243
– NaCl transport 229–236
– transport, effect of K 1–9
Intracellular calcium 37–41
Intraluminal pressure sensing balloons 303–305
Intraspinal microstimulation 143–147
Intrasplenic oxyhemoglobin saturation 109–111
– red cell sequestration 109–111
Ionophore A 23187 37–41
Ion permeability 287–290
– transport, intestinal 237–243
Ischaemia, effect on enzyme-activities 203–208
Ischemia 209–214
Isobutyrate 121–123
Isolated frog skin 71–80
– sheep Purkinje fibres 137–142

J

Jejunal brush border hydrolases 297–299
– perfusion 297–299

K

K conductance 89–93
Kidney, acute renal failure 11–18
– blood flow 81–88
–, metabolism 95–100
–, Na reabsorption 49–52
– perfusion pressure 81–88
–, phosphate transport 37–41
–, tubuloglomerular feedback 269–279

L

Lactate 43–47
(L)-adrenaline 29–36
Lanthanum 71–80
Laser diffraction pattern 101–104
Leaky epithelia 287–290
Left ventricle 251–258
Lidocaine base 89–93
(L)-noradrenaline 29–36
Load-enthalpy relations 173–180
Loop of Henle 11–18
Low Na^+ diet 49–52
Lower brainstem 291–293
– intestine 229–236

M

Macula densa 11–18
Mammalian-like thermosensitivity 291–293
Marcaine HCl 89–93
Mecamylamine 125–135
Medulla oblongata 19–27, 29–36
Medullary chemosensitive 125–135
Membrane calcium 191–195
– conductance 89–93
– current 137–142
Mercuric chloride kidneys 11–18
Metabolism of muscle 203–208
3-0-methyl-D-glucose 1–9
Microinfusion studies, renal 37–41
Micropuncture 269–279
Microspheres 295–296
Midbrain temperature 113–116
Monoamine oxidase inhibitor 245–250
Morphine 143–147
Motor nerve anesthesia 89–93
Movement of HCO_3^- in rat colon 43–47
Mucosal lanthanum 71–80
Muscle 89–93
–, cardiac 137–142
–, contractile and histochemical properties 209–214
– efficiency 173–180
– enzymes 203–208, 301–302
– fibers 157–163
– –, Na-rich 215–218
– fibres at rest 101–104
– glycogen depletion 105–108
– ischaemia 203–208, 209–214
–, metabolism 203–208
–, Na^+ on activation of contraction 117–119
–, paramyosin 197–201
– types 301–302
Myocardial reactive hyperaemia 223–228
Myothermic technique 173–180

N

Na-Ca exchange 259–268
[Na], and Na-pump 215–218
Na, low Na diet 229–236
Na^+dependency 43–47
Na^+ions, twitch relaxation 259–268
Na^+-linked water absorption from isoosmotic perfusates 237–243
Na^+ reabsorption 49–52
Na^+stimulated short chain fatty acids absorption 43–47
"NEN-TRAC" Microspheres 295–296
Nephron filtration rate 269–279
Neuronal excitation 125–135
Neuronal release of [^{14}c] GABA 149–155
Neurotransmitter 149–155
Neurovegetative regulation 281–285
NH_4Cl induced acidosis 95–100
NH_3 production by kidney cortex slices 95–100
Nicotine 19–27, 29–36
Nonhypotensive hemorrhage 81–88
Noradrenaline 125–135

O

O_2 consumption 109–111
Organ blood flow 295–296
Organic acid absorption in rat colon 43–47
– cation 287–290
Osmoregulation 229–236
–, bird 237–243
Oxidative enzymes 203–208

P

Paracellular pathways 287–290
Paramyosin 197–201
Papillary collecting duct 49–52
– muscle 173–180
pH 125–135
Phenoxybenzamine 223–228
Phosphate loading 37–41
– transport 37–41
Phosphoenolpyruvate carboxykinase (PEPCK) 95–100
Phosphorylation 197–201
– of molluscan paramyosin 197–201
Phrenic inspiratory discharge 53–57
– nerve activity 181–185
Physostigmine 29–36
Pneumatic cuff, implanted 81–88
Polyurethanes 303–305
Postocclusion hyperaemia 223–228
Potassium conductance 157–163
– deficient 215–218
– induced muscular contractures 1–9
–, inhibition 1–9
Pregnancy 219–222
Pressoreceptors 81–88
Presynaptic excitability changes 143–147
– inhibition 143–147
Procaine 19–27
Propionate 43–47
Propranolol 223–228
Protein kinase 197–201
Pulmonary vagal stretch receptor 53–57
Purkinje fibre 137–142

Q

Quick volume release 251–258

R

Reactive hyperaemia, heart 223–228
Recovery from ischemia 209–214

Recruitment of muscle fibres 105–108
Red cell sequestration 109–111
Regulation, respiration and circulation 19–27
Relaxation 259–268
Renal blood flow 81–88
– collecting duct 49–52
– concentrating mechanism 11–18
– hypertension 187–190
– phosphate transport 37–41
– prostaglandins 269–279
Respiration 19–27, 29–36
–, regulation 53–57
Respiratory chemosensitive structures 125–135
– chemosensitivity 29–36
– gas exchange 109–111
Rubidium 1–9

S

Sampling circuit 101–104
Sarcomere length 101–104
Secretion of K^+ intestinal 237–243
Selectivity 157–163
Serotonin 29–36, 125–135
Shrinking droplet method 49–52
Single muscle fibre 101–104
– sweep TV line scanning 101–104
Skeletal muscle fibers 157–163
Skinned cardiac cells 121–123
Slow skeletal muscle 209–214
– twitch muscle 301–302
Sodium acetylsalicylate 165–172
– current 137–142
– induced calcium release 117–119
–, low Na diet 229–236
– path, frog skin 71–80
– pathways in a "leaky" epithelium 287–290
– permeability 71–80
– pump, muscle 215–218
– reabsorption 49–52
Soleus muscle 215–218
Spleen 109–111
Spontaneous hypertension 187–190, 191–195
Stress-area relation 173–180
Succinate 43–47
Sugar transport 1–9

T

Temperature effect 173–180
Temperature regulation 165–172, 219–222
Tenotomy, muscle membrane properties 89–93
Term 219–222
Tetrodotoxin 137–142
Thermoregulation 113–116, 219–222
Thermoregulatory response 165–172
Thermosensitivity 291–293
– in the preoptic/anterior hypothalamic area 113–116
Thyroparathyroidectomy 37–41
Tidal volume (V_T) 53–57
"Tracer" brand of microspheres 295–296
Transepithelial transport 229–236
Transient hypoxia 53–57
Transmitter identification 149–155
Transmural electrical conductance 1–9
2,4,6-Triaminopyrimidine (TAP) 287–290
Trigliceride synthesis in adipose tissue 187–190
Tubular fluid dilution 11–18
– phosphate reabsorption 37–41
Tubuloglomerular feedback 11–18, 269–279
Twitch muscle fibre 117–119
– relaxation 259–268
Tyramine 245–250

U

Uninephrectomised rats 245–250
Urinary bladder 287–290
– concentrating mechanism 11–18

V

Vagotomy 53–57
Vagus cardioinhibitory fibers 281–285
Ventilation, control of 181–185
Ventilatory response 53–57
Ventral medulla oblongata 125–135
Ventricular force-velocity relations 251–258
– model 251–258
Veratridine-evoked GABA release 149–155
Voltage clamp 117–119, 137–142
– – technique 157–163
– clamped frog atrial fibres 259–268

W

"Window" sodium current 137–142

NIH LIBRARY
8 0030 6390